Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	1687	713/168-170.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:00
L2	1159	713/193.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:00
L3	1764	726/4-6.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:01
L4	178	726/21.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:01
L5	659	726/27-30.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02
L6	647	380/201.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02
L7	69	380/232.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/17 10:02
S1	3	"09/989,910"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/10/14 09:21

S2	1	"09/990,216"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:30
S3	2	"09/937,120"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 12:53
S4	1	"09/990,001"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 14:31
S5	1	"20020120854".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 15:17
S6	612	(emulator$1 or debugger$1) and (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:25
S7	51	(emulator$1 or debugger$1) same (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S8	23	(emulator$1 or debugger$1) with (unauthoriz$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 16:26
S9	33	(transfer$4) with (archiv$3) with (valid$4 or authoriz$4 or prevent$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:16
S10	1	(transfer$4) with (archiv$3) with (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:17
S11	1	((transfer$4) with (archiv$3)) same (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:18

S12	0	((transfer$4) with (archiv$3)) with ((authorized or valid) adj recipent)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:19
S13	16	((transfer$4) with (archiv$3)) with ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:33
S14	30	((transfer$4) with (archiv$3)) same ((authorized or valid))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30
S15	14	S14 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:25
S16	1815	(transfer$4) with (archiv$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:30
S17	20	((transfer$4) with (archiv$3)) with ((authoriz$3 or valid$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:15
S18	4	S17 not S13	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S19	34614	"713".CLAS. or "380".CLAS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:35
S20	130	S16 and S19	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36
S21	65	S20 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 17:36

S22	134	((transfer$4) same (archiv$3)) same ((authoriz$3 or valid$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:41
S23	56	S22 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:25
S24	3	authenticat$3 with archiver$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26
S25	6	authenticat$3 same archiver$1	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:26
S26	26	(encrypt$3 with (transfer$4) with (archiv$3))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/08 18:42
S28	6	mooney.in. and lane.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:14
S29	157	encrypt$4 same archiv$3 same transfer$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:15
S30	24	encrypt$4 with archiv$3 with transfer$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:24
S31	2	(archiv$3 with video) with interleav$4	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:29
S32	3	(archiv$3 with interleav$4) same video	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:35

S33	100	archiv$3 same (smart adj card$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:38
S34	24	archiv$3 with (smart adj card$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42
S35	165	mooney.in. and david.in.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 09:42
S36	1414	key$1 with (scrambl$3 or interleav$3) with (content$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:28
S37	1367	380/200-210.CCLS.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:25
S38	136	S36 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:26
S39	67	S38 and @ad<="20000922"	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:54
S40	0	archiv$3 with key$1 with (scrambl$3 or interleav$3) with (content$1 or data)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29
S41	1	archiv$3 same (key$1 with (scrambl$3 or interleav$3) with (content$1 or data))	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:29
S42	91	archiv$3 with encrypt$3 with decrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57

S43	0	S37 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:55
S44	248	archiv$3 same encrypt$3 same decrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56
S45	0	S44 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:56
S46	395	archiv$3 with encrypt$3	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 10:57
S47	1	S46 and S37	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07
S48	1	"6236727".pn.	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 11:07
S49	0	interleav$3 with encrpt$3 with (status adj message$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:21
S50	0	interleav$3 same encrpt$3 same (status adj message$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:22
S51	17	interleav$3 same (status adj message$1)	US-PGPUB; USPAT; USOCR; EPO; JPO; IBM_TDB	OR	OFF	2005/03/09 16:22
S52	0	(invalid adj recipient) with (exit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:54

S53	0	(invalid adj recipient$1) with (exit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 10:54
S54	1	(invalid adj recipient$1) same (exit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:00
S55	67	archive with exit$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:07
S56	6255	content with exit$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 11:10
S57	549	(un$1authoriz$3 with exit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 13:16
S58	61	(un$1authoriz$3 same content$1 same exit$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:40
S59	3	modif$3 with (content or data) with (receiver adj (ID or identoty or water$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:43
S60	3	(modif$3 or embeddied) with (content or data) with (receiver adj (ID or identoty or water$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:44

S61	50	(modif$3 or embedd$3 or includ$3) with (content or data) with (receiver adj (ID or identoty or water$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:57
S62	0	(modif$3 or embedd$3 or includ$3) with (archiv$3) with (receiver adj (ID or identity or water$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:58
S63	2	(modif$3 or embedd$3 or includ$3) same(archiv$3) same (receiver adj (ID or identity or water$1mark))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 16:59
S64	3	(modif$3 or embedd$3 or includ$3) same (archiv$3) same (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S65	7	(modif$3 or embedd$3 or includ$3 or insert$3) same (archiv$3) same (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:05
S66	4	S65 not S64	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:02
S67	85	(modif$3 or embedd$3 or includ$3 or insert$3) and (archiv$3) and (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:04
S68	78	S67 not S65	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:04

S69	14	(modif$3 or embedd$3 or includ$3 or insert$3) with (content) with (hidden adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:06
S70	0	(modif$3 or embedd$3 or includ$3 or insert$3) with (content) with ((hidden adj data) with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:07
S71	1135	(modif$3 or embedd$3 or includ$3 or insert$3) with (content) with (transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:07
S72	43	(modif$3 or embedd$3 or includ$3 or insert$3) with (content) with (identit$3 with transaction)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/13 17:08
S73	1	"6226618".pn. and (watermark$3 with encrypt$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 11:53
S76	1	archive with (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:29
S77	1	archive same (false adj data)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 12:29
S78	210	watermark$3 with map	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14

S79	24	watermark$3 with (memory with map$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 13:58
S80	924	authoriz$3 with window$1	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S81	0	S78 and S80	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S82	12767	watermark$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:14
S83	26	S80 and S82	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/10/14 14:15